

XBC136e USER MANUAL

Bullet Camera Series



Please read the instructions thoroughly before using the product.

FEATURES

1. 1/3" Sony Color Super HAD CCD
2. Minimum illumination of 0.5 Lux at F2.0
3. Discreet design

PACKAGE CONTENT

- Bullet camera * 1
- Bracket & accessory pack * 1
- User Manual * 1

SPECIFICATIONS*

Model	XBC136e
Pick up Element	1/3" Sony Color Super HAD CCD image sensor
Number of Pixel	510(H) x 492(V) <NTSC> / 500(H) x 582(V) <PAL>
Resolution	Standard
Min. Illumination	0.5 Lux / F2.0
S/N Ratio	More than 48dB (AGC off)
Electronic Shutter	1/60 (1/50) to 1/100,000 sec.
Lens	f3.6mm / F2.0
Lens Angle	92.6°
BLC	ON
AGC	Max
White Balance	ATW
Video Output	1.0Vp-p composite, 75Ω
Power Source (±10%)	DC12V
Current Consumption (±10%)	90mA
Dimensions (mm)**	23 (θ) x 67.6(H)

* The specifications are subject to change without notice.

** Dimensional Tolerance: ± 5mm

CONNECTION

1. DC12V Input Terminal

Connect the power terminal of the camera to a 12V DC regulated power supply.

NOTE: Please use the correct power adaptor, DC12V (regulated), to operate this unit. The power tolerance of this unit is DC12V $\pm$ 10%. Operating with over the maximum tolerance will damage this unit.

2. BNC Video Output Connector (VIDEO OUT)

Connect the camera video output to monitoring/recording equipment using 75 Ω solid copper coaxial cable.



CAUTION

RISK OF ELECTRIC SHOCK



CAUTION:

To reduce the risk of electric shock, do not expose this apparatus to rain or moisture.

Only operate this apparatus from the type of power source indicated on the label.

The company shall not be liable for any damages arising out of any improper use, even if we have been advised of the possibility of such damages.



The lightning flash with arrowhead symbol, within an equilateral triangle, is intended to alert the user to the presence of uninsulated "dangerous voltage" within the product's enclosure that may be of sufficient magnitude to constitute a risk of electric shock to persons.



This exclamation point within an equilateral triangle is intended to alert the user to the presence of important operating and maintenance (servicing) instructions in the literature accompanying the appliance.



ROHS Announcement

All lead-free products offered by the company comply with the requirements of the European law on the Restriction of Hazardous Substances (RoHS) directive, which means our manufacture processes and products are strictly "lead-free" and without the hazardous substances cited in the directive.



The crossed-out wheeled bin mark symbolizes that within the European Union the product must be collected separately at the product end-of-life. This applies to your product and any peripherals marked with this symbol. Do not dispose of these products as unsorted municipal waste.



CE Mark

This apparatus is manufactured to comply with the radio interference.

The company does not warrant that this manual will be uninterrupted or error-free. We reserve the right to revise or remove any content in this manual at any time.

